





MOTABILITY ID 1000792

Q4 WITH TB FLEX SEATING / PRO BACK

DEALERS DETAILS		DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	Clients Weight	

BASE MODEL

7 Colour Options Height Adjustable Removable Armrests 70° Swing-Away Legrests Angle Adjustable Fold-Forward Backrest 14" Flat Free Drive Tyres

2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



2" x 6" Flat Free Rear Castors
ATX Suspension System
NE+ Control System
2 x 62 ah Batteries
4 Mph (6 Km/h) Motors
Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard
Midnight Blue	FOC
Electric Blue	FOC
Deep Purple	FOC
Pretty in Pink	FOC

Evolution Orange	FOC
Red Corvette	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT WIDTH

FOC	16"Width	FOC	15"Width
Standard	18"Width	FOC	17"Width
FOC	20"Width	FOC	19"Width

SEAT DEPTH

15" Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

Manual Settable Tilt. 0° to 30° tool adjustable with a telescopic tube.			Standard
Seat to Floor Height. From seat pan.	16"	17"	18"

STANDARD BACK SUPPORT POSITIONING

Manual Angle Settable, Fold-Forward. *Adjustment range 95° to 125°*.

Standard

STEALTH PRO BACK SUPPORTS

Standard, Coolcore Cover. Solid back, 9 cm contour.		FOC		
Active, Coolcore Cov	ver. Solid back, 12 cm contour			Standard
Extra Deep Active, C	oolcore Cover. Solid back, 17 cm co	ntour.		FOC
Active Flex, Coolcore	e Cover. Tension adjustable straps. 12	2 cm contour.		FOC
Back Height	50cm. Actual height.	Standard	57cm. Actual height.	FOC

ARM SUPPORTS

Std Flip-up Height Adjust	able. <i>Includes contour arm</i> p	oads. Do not select arm p	oads below. S	tandard
TB Flex Removable, Quick Release. Adjustment range 9" to 14" from seat pan.			FOC	
2-Post Flip-up Removable	2. Adjustment range 9" to 13"	from seat pan. Minimun	n seat depth 16″.	FOC
Single Post Height Adjust	able. Adjustment range 11"	-17" from seat pan.		FOC
Paediatric Single Post Hei	ght Adjustable. <i>Adjustme</i>	nt range 7.75″- 9.75″ fron	n seat pan. 10″ pads only.	FOC
Arm Support Pads	10" Standard	Standard	10"Waterfall. Not with Std flip-up or TB Flex.	FOC
Ann Support aus	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC

LEG SUPPORTS

70° Swing-away Legrests. Adjustment rang	e 12" to 15".	Standard
Base Mounted Foot Platform. Mounted to	chassis. Will not move with power tilt.	FOC
Manual Elevating Swing-Away Legrests.	Adjustment range 15" to 20".	FOC
Manually Adjustable Centre Mount Foot	Platform. Adjustment range 10" to 16". 5"W x11"L Footplates.	FOC
Seat pan to heel measurement	(Leave blank for standard factory) Adjustment ranges above are	e from seat pan to footplates.

(Leave blank for standard factory) Adjustment ranges above are from seat pan to footplates. Individual legrests supplied with heel loops. Elevating legrests supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	FOC

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.

Standard (STD)

NE + Controls. 2 pov	Standard	
Control Method.	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Metriod.	Attendant Control, Hand control mounted at rear.	FOC

HAND CONTROL MOUNTS

 Fixed.	Standard FOC				
Swing-away. Swings in 8					
Mounting Position.	Left	FOC	Right	Standard	

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included. Standard

NOTES & SPECIAL REQUESTS



Quantum®

32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
MOTABILITY ID 1000792 - 29/09/23 V1











V1: 14/06/2022





3